

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	3497	726/16-19.ccls. or 726/2-7.ccls. 726/27-29.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 09:31
L3	1983	713/182-186.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 09:37
L4	5171	2 or 3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 09:34
L5	2	4 and (multi\$1login or multi\$1logon)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 09:35
L6	2	4 and (multi\$1login\$1 or multi\$1logon\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 09:37
L8	2514	713/182-186.ccls. or 713/155.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 09:37
L9	395	2 and 8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 09:37
L10	0	9 and (multi\$1login\$1 or multi\$1logon\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 09:38

L11	5616	2 or 8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 09:37
L12	2	11 and (multi\$1login\$1 or multi\$1logon\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 09:37
L13	2	9 and ((multi\$1login\$1 or multi\$1logon\$1) or (multiple adj (log\$1in or log\$1on)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 09:39
L14	17	11 and ((multi\$1login\$1 or multi\$1logon\$1) or (multiple adj (log\$1in or log\$1on)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 09:41
L15	5	14 and (stack\$3 or aggregat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 09:42
S1	169612	(security or proteci\$ or authenticat\$ or validat\$ or verif\$ or authoriz\$) and ((first and second) or (current and new) or aggregate or composite) and (user\$2 or host\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/29 15:40
S2	555	((security or proteci\$ or authenticat\$ or validat\$ or verif\$ or authoriz\$) and ((first and second) or (current and new) or aggregate or composite) and (user\$2 or host\$2)) and ((login or logon) and logoff) or ((log\$1 adj on) and (log\$1 adj off))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/29 15:41
S3	39204	(security or proteci\$ or authenticat\$ or validat\$ or verif\$ or authoriz\$) same ((first and second) or (current and new) or aggregate or composite) and (user\$2 or host\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/29 15:42

S4	303	((security or protec\$ or authenticat\$ or validat\$ or verif\$ or authoriz\$) same ((first and second) or (current and new) or aggregate or composite) and (user\$2 or host\$2)) and ((login or logon) and logoff) or ((log\$1 adj on) and (log\$1 adj off))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/29 15:42
S5	14633	(security or protec\$ or authenticat\$ or validat\$ or verif\$ or authoriz\$) same ((first and second) or (current and new) or aggregate or composite) same (user\$2 or host\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/29 15:42
S6	229	((security or protec\$ or authenticat\$ or validat\$ or verif\$ or authoriz\$) same ((first and second) or (current and new) or aggregate or composite) same (user\$2 or host\$2)) and ((login or logon) and logoff) or ((log\$1 adj on) and (log\$1 adj off))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/29 16:11
S7	99	((((security or protec\$ or authenticat\$ or validat\$ or verif\$ or authoriz\$) and ((first and second) or (current and new) or aggregate or composite) and (user\$2 or host\$2)) and ((login or logon) and logoff) or ((log\$1 adj on) and (log\$1 adj off)))) and (stack and context)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/29 16:24
S8	2	(first or second) adj security adj context and stack\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/29 16:28
S9	1	second adj security adj context and stack\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/29 16:30
S10	8	second adj (user or host) adj authenticat\$ and stack\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/29 16:31
S11	7	((security adj context) with stack)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/29 16:40

S12	87	((security adj context) and stack)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/29 16:41
S13	9	((security adj context) same stack)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/29 16:42
S14	1	((first or second) adj user adj authentikat\$) and (security adj context)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/29 16:45
S15	41	((first or second) adj user adj authentikat\$) and (web\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/30 08:17
S16	4	"5655077".pn. or "5499342".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/30 08:18
S17	59959	((collect\$ or aggregat\$) and (identi\$ or information)).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/30 09:36
S18	11	authentikat\$.ti. and ((login or logon).ab. or (log\$2 adj (in or on)).ab.) and (((collect\$ or aggregat\$) and (identi\$ or information)).ab.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/30 08:47
S19	239	authentikat\$.ti. and (((collect\$ or aggregat\$) and (identi\$ or information)).ab.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/30 08:54
S20	214	authentikat\$.ti. and ((login or logon).ab. or (log\$2 adj (in or on)).ab.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/30 08:54
S21	19745	((collect\$ or aggregat\$) and identi\$).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/30 09:40

S22	109	authenticat\$.ti. and (((collect\$ or aggregat\$) and identi\$).ab.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/30 10:06
S23	37	authenticat\$.ti. and (((collect\$ or aggregat\$) and identi\$).ab.)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/04/30 10:09
S24	1628	authenticat\$.ti. and (sequence of log\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/04/30 10:44
S25	14	(authenticat\$.ti. and (sequence of log\$4)) and (((collect\$ or aggregat\$) and identi\$).ab.)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/04/30 13:42
S26	24358	(aggregat\$ or mixtur\$ or composit\$ or combin\$) and authenticat\$	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/04/30 14:50
S27	13889	authenticat\$.ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/30 14:51
S28	1657	((aggregat\$ or mixtur\$ or composit\$ or combin\$) and authenticat\$) and authenticat\$.ti.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/04/30 14:51
S29	1655	(login or logon).ab. or (log\$2 adj (in or on)).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/30 14:51
S30	39	((((aggregat\$ or mixtur\$ or composit\$ or combin\$) and authenticat\$) and authenticat\$.ti.) and ((login or logon).ab. or (log\$2 adj (in or on)).ab.)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/04/30 14:52
S36	828	713/183-185.CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/11 10:19

S37	11	S36 and (multiple with login\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/11 10:22
S38	3	S36 and (multiple with login\$1) and (aggregate\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/11 10:23
S39	0	S36 and (multiple with login\$1) with (aggregate\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/11 10:25
S41	4	S36 and (super\$1user\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/11 10:28
S42	0	(super\$1user\$1) with (log\$1off or log\$1out)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/11 10:28
S43	3	(super\$1user\$1) same (log\$1off or log\$1out)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/11 11:22
S44	0	(john adj savil).in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/11 10:44
S45	23	(multiple adj (log\$1in\$1 or log\$1off\$1)) and (log\$1off or log\$1out)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/11 11:16

S46	64	second adj user adj authenticat\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/11 11:21
S47	4	S46 and (log\$1out or log\$1off)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/11 11:17
S48	2	S46 and aggregated	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/11 11:22
S49	199	(multiple) same (log\$1off or log\$1out)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/11 11:23
S51	68	(multiple) with (log\$1off or log\$1out)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/11 11:23
S52	2	(multiple) adj (log\$1off or log\$1out)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/11 11:23
S53	28	(multiple) near3 (log\$1off or log\$1out)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/11 11:36
S54	2	(multiple) adj (log\$1off or log\$1out)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/11 11:45

S55	9	multiple adj user adj (log\$1in or log\$1on)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/18 16:12
S56	0	S55 and (aggregat\$3 or stack\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/18 16:10
S57	0	S55 and (aggregat\$3 or stack\$3 or accumulat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/18 16:10
S58	0	S55 and (aggregat\$3 or stack\$3 or accumulat\$3 or push\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/18 16:14
S59	92	multiple adj (log\$1in or log\$1on)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/18 16:13
S60	0	S59 and S58	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/18 16:13
S61	30230	(log\$1in or log\$1on)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/18 16:13
S62	0	S61 and S58	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/18 16:13

S63	2748265	(aggregat\$3 or stack\$3 or accumulat\$3 or push\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/18 16:22
S64	11061	S61 and S63	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/18 16:14
S65	30	S59 and S63	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/18 16:14
S66	37	(aggregat\$3 or stack\$3 or accumulat\$3 or push\$3) with (security with context\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/18 16:32
S67	13	S61 and S66	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/18 16:23